

Miller QuickPick™ Rescue Kits

Simplified Rescue Systems

SKU	Description	Rope Length	Mechanical Advantage	Max. Capacity	Weight
QuickPick Premium Kits Include backup braking system, pulleys, rope, rescue pole with clip, pigtail, rope control handle, carabiners, cross-arm anchorage connector, Miller WristBandit™ Tool Lanyard, kit bag and pole bag.					
QP/25FT	25-ft. Working Length System	125 ft. (38 m)	5:1	400 lbs. (181 kg)	22.9 lbs. (10.3 kg)
QP/50FT	50-ft. Working Length System	250 ft. (76 m)			30.4 lbs. (13.7 kg)
QP/75FT	75-ft. Working Length System	375 ft. (114 m)			37.9 lbs. (17.1 kg)
QP/100FT	100-ft. Working Length System	500 ft. (152 m)			45.4 lbs. (20.5 kg)
QuickPick Standard Kits Include pulleys, rope, rescue pole with clip, pigtail, rope control handle, carabiners, cross-arm anchorage connector, Miller WristBandit™ Tool Lanyard, kit bag and pole bag.					
QP-1/25FT	25-ft. Working Length System	100 ft. (30 m)	4:1	310 lbs. (141 kg)	17.6 lbs. (7.9 kg)
QP-1/50FT	50-ft. Working Length System	200 ft. (61 m)			25.1 lbs. (11.3 kg)
QP-1/75FT	75-ft. Working Length System	300 ft. (91 m)			32.6 lbs. (14.7 kg)
QP-1/100FT	100-ft. Working Length System	400 ft. (122 m)			40.1 lbs. (18.1 kg)
QuickPick Components					
QP-EP	12-ft. Rescue Pole with Carabiner Clip, Carabiner, Pigtail, Miller WristBandit™ Tool Lanyard and bag	N/A	N/A	N/A	5.7 lbs. (2.5 kg)
QP-SC	Replacement Carabiner Clip	N/A	N/A	N/A	0.1 lbs. (0.04 kg)
QP-RHA	Rope Control Handle	N/A	N/A	400 lbs. (181 kg)	0.5 lbs. (0.2 kg)

⚠WARNING! THIS DOCUMENT PROVIDES AN OVERVIEW OF FALL PROTECTION PRODUCTS AVAILABLE FROM HONEYWELL AND CARE HAS BEEN TAKEN TO ASSURE THE ACCURACY OF THE DATA. IT DOES NOT PROVIDE IMPORTANT PRODUCT WARNINGS AND INSTRUCTIONS. HONEYWELL RECOMMENDS ALL USERS OF FALL PROTECTION EQUIPMENT UNDERGO THOROUGH TRAINING, AND THAT ALL WARNINGS AND INSTRUCTIONS PROVIDED WITH THE PRODUCTS BE THOROUGHLY READ AND UNDERSTOOD PRIOR TO EACH USE. FAILURE TO READ AND FOLLOW ALL PRODUCT WARNINGS AND INSTRUCTIONS COULD RESULT IN SERIOUS INJURY OR DEATH.